

The lacy panels are divided by long cables.

## A HAPPY SUMMER JERSEY

One Of Our Prettiest Lacy Designs. It Can Be Made For 32 To 38 Inch Bust Sizes

### MATERIALS

**FOR THE SMALLER SIZE (32-34 INCH BUST SIZE):** Five ounces of Patons Beehive Fingering 2-ply, Patonised, or 6 ounces if long sleeves are required for this size; a pair each of No. 10 and No. 11 knitting needles; 6 buttons; a cable pin, or short, double-pointed knitting needle for the cable stitches.

**FOR THE LARGER SIZE JERSEY SUITABLE FOR 36 TO 38 INCH BUST MEASUREMENT:** Use 6 ounces of the same wool for short sleeves or 7 ounces if long sleeves are worked, with No. 9 and No. 10 knitting needles, and follow the same instructions.

### TENSION AND MEASUREMENTS

**WORKED** at such a tension that one repeat of the complete pattern of 20 stitches measures  $1\frac{1}{2}$  inches in width with No. 10 needles, or  $1\frac{1}{4}$  inches with No. 9 needles, the measurements on the diagrams on page 15 will be attained without pressing.

### ABBREVIATIONS—

#### TO BE READ BEFORE WORKING

**K** **KNIT PLAIN;** *p.*, purl; *st.*, stitch; *tog.*, together; *inc.*, increase (by working into the back and front of the same *st.*); *dec.*, decrease (by working 2 *sts.* *tog.*); *m.*, make (by bringing the wool to the front of the needle, over it, and round to the front again, before purling the next *st.*, or where "m. 1" follows a *p. st.*, simply take the wool over the needle to the back, before knitting the next *st.*); *sl.*, slip; *p.s.s.o.*, pass the slipped *st.* over; *c. 4*, cable 4, thus: slip the next 2 *sts.* on to the cable pin and leave at front of work, *k. 2*, then *k. 2* from cable pin; single rib is *k. 1* and *p. 1* alternately. Directions in brackets are worked the number of times stated after the last bracket.

### TO WORK THE BACK

**USING** No. 11 needles for the smaller size or No. 10 needles for the larger design, cast on 120 *sts.* for the lower edge and work 33 rows in single rib, working into the backs of the *sts.* on the 1st row to give a neat edge.

**INC. ROW:** Inc. in each of first 4 *sts.*, (rib 1, inc., rib 2, inc.) 10 times, rib 12, (rib 1, inc., rib 2, inc.) 10 times, inc. in each of last 4 *sts.* (168 *sts.*).

Change to No. 10 needles (No. 9 for larger size) and begin the pattern, as follows:

**1st ROW:** \* P. 2, k. 4, p. 2, k. 2 tog., m. 1; repeat from \* until 8 remain, p. 2, k. 4, p. 2.

**2nd ROW AND EVERY ALTERNATE ROW:** \* K. 2, p. 4, k. 2, p. 2; repeat from \* until 8 remain, k. 2, p. 4, k. 2.

**3rd ROW:** \* P. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.; repeat from \* until 8 remain, p. 2, k. 4, p. 2.

**5th ROW:** As 1st row.

**7th ROW:** \* P. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.; repeat from \* until 8 remain, p. 2, k. 4, p. 2.

**9th ROW:** As 1st row.

**11th ROW:** As 3rd row.

**13th ROW:** As 1st row.

**15th ROW:** \* P. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.; repeat from \* until 8 remain, p. 2, c. 4, p. 2.

**16th ROW:** As 2nd row.

These 16 rows form the pattern. Repeat them 5 times more, then work the first 6 rows of the next pattern.

**To Shape the Armholes:** 1st ROW: Cast off 12, k. 3, \* p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, c. 4; repeat from \* until 12 remain, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2. (Note that throughout the pattern the *st.* remaining on right-hand needle after casting off will not be included in the next item.)

**2nd ROW:** Cast off 12, p. 3, \* k. 2, p. 2, k. 2, p. 4; repeat from \* to end.

**3rd ROW:** K. 2 tog., k. 2, \* p. 2, k. 2 tog., m. 1, p. 2, k. 4; repeat from \* until 10 remain, p. 2, k. 2 tog., m. 1, p. 2, k. 2, k. 2 tog.

**4th ROW AND NEXT 2 ALTERNATE ROWS:** Work in pattern, decreasing 1 *st.* at both ends of every row.

**5th ROW:** K. 2 tog., \* p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4; repeat from \* until 8 remain, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 2 tog.

**7th ROW:** P. 2 tog., \* k. 2 tog., m. 1, p. 2, k. 4, p. 2; repeat from \* until 4 remain, k. 2 tog., m. 1, p. 2 tog.

**9th ROW:** Sl. 1, k. 1, p.s.s.o., \* p. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.; repeat from \* until 10 remain, p. 2, c. 4, p. 2, sl. 1, k. 1, p.s.s.o.

**10th ROW:** K. 2 tog., k. 1, \* p. 4, k. 2, p. 2, k. 2; repeat from \* until 7 remain, p. 4, k. 1, k. 2 tog. (128 *sts.*).



*Soft, gentle colours for this jersey—pale peach, aquamarine, meadow green, periwinkle blue or geranium pink.*

This finishes the armhole shaping. Work 3 patterns as at the beginning, and the first 6 rows of the next (11th) pattern.

*To Shape the Shoulders:* 1st ROW: Cast off 13, k. 2, \* p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, c. 4; repeat from \* until 12 remain, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2.

2nd ROW AND ALTERNATE ROW: Cast off 13, pattern to end.

3rd ROW: Cast off 13, p. 1, \* k. 2 tog., m. 1,

p. 2, k. 4, p. 2; repeat from \* until 7 remain, k. 2 tog., m. 1, p. 2, k. 3.

5th ROW: Cast off 13, \* p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.; repeat from \* until 2 remain, p. 2.

Cast off 13 at the beginning of the 6th row, then on the following row cast off the 50 remaining sts.

#### THE FRONT

**W**ORK the same as the Back until the inc. row (34th row of ribbing) has been finished and there are 168 sts.

*Continued on page 14*

## A HAPPY SUMMER JERSEY (Continued from page 3)

Change to No. 10 needles (No. 9 for the larger size) and divide the sts. for the fronts, as follows:

*The Left Front:* 1st ROW: Pattern 78 sts. as in 1st row on Back, turn. (Leave the remaining 90 sts. on a stitch-holder or spare needle for the right front.)

2nd ROW TO 6th ROW: As corresponding rows of pattern on Back.

7th ROW: \* P. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.; repeat from \* until 18 remain, p. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2.

8th ROW TO 14th ROW: As corresponding rows of pattern on Back.

15th ROW: \* P. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.; repeat from \*, omitting m. 1, sl. 1, k. 1, p.s.s.o. at end of last repeat.

16th ROW: As 2nd row of Back pattern.

Repeat these 16 rows 5 times more and the first 6 rows again.

*To Shape the Armhole:* 1st ROW: Cast off 12, k. 3, (p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, c. 4, p. 2,

m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4) 3 times, p. 2.

2nd ROW: (K. 2, p. 4, k. 2, p. 2) 6 times, k. 2, p. 4.

Continue in pattern as now set, beginning with the 9th pattern row, and dec. 1 st. at the armhole edge of each of the next 6 rows.

9th ROW: Sl. 1, k. 1, p.s.s.o., (p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.) twice, p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, c. 4, p. 2.

10th ROW: (K. 2, p. 4, k. 2, p. 2) 5 times, k. 2, p. 4, k. 1, k. 2 tog. (58 sts.).

This finishes the armhole shaping. Work 2 patterns as at the beginning of this front, and the first 3 rows of the next pattern.

*To Shape the Neck:* 1st ROW: Cast off 10, k. 1, (p. 4, k. 2, p. 2, k. 2) 4 times, p. 4, k. 2.

2nd ROW: (P. 2, k. 4, p. 2, k. 2 tog., m. 1) 4 times, p. 2, k. 4, p. 2.

3rd ROW: K. 2 tog., then pattern to end.

4th ROW: (P. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.) twice, p. 2, c. 4, p. 1.

Continue in pattern as now set, beginning with

the 8th pattern row, and dec. 1 st. at the beginning (neck edge) of the next row and following 6 alternate rows.

18th ROW: (P. 2, k. 4, p. 2, k. 2 tog., m. 1) 3 times, p. 2, k. 4, p. 2, k. 2.

19th ROW: P. 2 tog., (k. 2, p. 4, k. 2, p. 2) 3 times, k. 2, p. 4, k. 2 (39 sts.).

*To Slope the Shoulder:* 1st ROW: Cast off 13, k. 2, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, k. 1.

2nd ROW AND 4th ROW: Work straight in pattern.

3rd ROW: Cast off 13, p. 1, k. 2 tog., m. 1, p. 2, k. 4, p. 2, k. 1.

After the 4th row cast off the 13 remaining sts.

*The Right Front:* Return to the 90 sts. left on a stitch-holder and place the first 12 sts. (centre front) on a safety-pin, then rejoin the wool to the next st. along the row, and using No. 10 needles (or No. 9 for larger size) work in pattern on these 78 sts. thus:

1st ROW TO 6th ROW: As 1st to 6th row of pattern on Back.

7th ROW: \* P. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.; repeat from \* until 18 remain, p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, c. 4, p. 2.

8th ROW TO 14th ROW: As 8th to 14th row of pattern on Back.

15th ROW: \* P. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.; repeat from \* until 18 remain, p. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2.

16th ROW: \* K. 2, p. 4, k. 2, p. 2; repeat from \* until 8 remain, k. 2, p. 4, k. 2.

Repeat these 16 rows 5 times more and the first 7 rows again.

*To Shape the Armhole:* 1st ROW: Cast off 12, p. 3, (k. 2, p. 2, k. 2, p. 4) 6 times, k. 2.

2nd ROW: (P. 2, k. 4, p. 2, k. 2 tog., m. 1) 6 times, p. 2, k. 2, k. 2 tog.

3rd ROW AND NEXT 2 ALTERNATE ROWS: Work in pattern as set on previous row, decreasing 1 st. at beginning of row.

4th ROW: (P. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.) 6 times, p. 2, k. 2 tog.

6th ROW: (P. 2, k. 4, p. 2, k. 2 tog., m. 1) 6 times, p. 2 tog.

8th ROW: (P. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.) twice, p. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, sl. 1, k. 1, p.s.s.o.

9th ROW: K. 2 tog., k. 1, (p. 4, k. 2, p. 2, k. 2) 5 times, p. 4, k. 2 (58 sts.).

Work 2 patterns as at the beginning of this front, and the first 4 rows of the next pattern.

*To Shape the Neck:* 1st ROW: Cast off 10, p. 1, (k. 4, p. 2, k. 2 tog., m. 1, p. 2) 4 times, k. 4, p. 2.

2nd ROW AND EACH ALTERNATE ROW: Work straight in pattern as set on previous row.

3rd ROW: P. 2 tog., (c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2) twice, c. 4, p. 2.

After the 3rd row work 13 rows in pattern as now set, beginning with the 8th pattern row, and decreasing 1 st. at the beginning of each right side row.

17th ROW: K. 3 tog., m. 1, (p. 2, k. 4, p. 2, k. 2 tog., m. 1) 3 times, p. 2, k. 4, p. 2.


19th ROW: \* Sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, c. 4, p. 2, m. 1; repeat from \* once, omitting m. 1 at end (39 sts.).

*To Slope the Shoulder:* 1st ROW (wrong side): Cast off 13, p. 2, (k. 2, p. 2, k. 2, p. 4) twice, k. 2, p. 1.


2nd ROW AND 4th ROW: Work straight in pattern.

3rd ROW: Cast off 13, k. 1, p. 2, k. 2, p. 4, k. 2, p. 1.

After the 4th row, cast off the 13 remaining sts.



The shape and measurements of the larger size jersey.



The smaller size jersey.

### THE SHORT SLEEVES

**C**AST on 86 sts. for arm edge with No. 11 needles (or No. 10) and work 11 rows in single rib.

**INC. ROW:** \* Inc., rib 3; repeat from \* until 2 remain, inc., p. 1 (108 sts.).

Change to No. 10 needles (or No. 9) and work 2 patterns as on Back and 6 rows of the next pattern.

*To Shape the Sleeve Top:* Work the first 7 rows of armhole shaping on the Back (74 sts.).

8th ROW AND EVERY ALTERNATE ROW: Work straight in pattern as set on the previous row.

9th ROW: P. 1, sl. 1, k. 1, p.s.s.o., (p. 2, c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.) 3 times, p. 2, c. 4, p. 2, sl. 1, k. 1, p.s.s.o., p. 1.

11th ROW: K. 2 tog., (p. 2, k. 4, p. 2, k. 2 tog., m. 1) 6 times, p. 2, k. 4, p. 2, k. 2 tog.

After the 11th row work 15 rows in pattern as now set, beginning with the 2nd pattern row, and decreasing 1 st. at both ends of every right side row (56 sts.).

27th ROW: P. 2 tog., (k. 2 tog., m. 1, p. 2, k. 4, p. 2) 5 times, k. 2 tog., m. 1, p. 2 tog.

29th ROW: P. 1, sl. 1, k. 1, p.s.s.o., (p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o.) 4 times, p. 2, k. 4, p. 2, sl. 1, k. 1, p.s.s.o., p. 1.

31st ROW: K. 2 tog., (p. 2, k. 4, p. 2, k. 2 tog., m. 1) 4 times, p. 2, k. 4, p. 2, k. 2 tog.

33rd ROW: P. 2 tog., p. 1, (c. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2, k. 4, p. 2, m. 1, sl. 1, k. 1, p.s.s.o., p. 2) twice, c. 4, p. 1, p. 2 tog.

Work 6 rows more, decreasing 1 st. at both ends of the right side rows (42 sts.).

40th ROW: P. 3, (k. 2, p. 2, k. 2, p. 4) 3 times, k. 2, p. 2, k. 2, p. 3. Cast off 42 remaining sts.

Make another sleeve the same.

### FOR LONG SLEEVES

**U**SING No. 11 needles (or No. 10 for the larger size) cast on 68 sts. and work 26 rows in single rib.

Change to No. 10 needles (or No. 9 needles) and work one pattern as on the Back. Continue in pattern and inc. 1 st. at both ends of the next row and every following 6th row until the 20th inc. row has been finished, (108 sts.) working the extra sts. in pattern as they occur.

Work 3 rows more, or for length required for the sleeve seam, but making sure to finish with the 6th row of a pattern, then shape the top as given for the short sleeves.

Make another sleeve the same.

## THE RIBBED BANDS

**T**HE *Left Front Band*: With No. 11 needles (or No. 10 for larger size) cast on 12 sts. and work 140 rows in single rib; sew the band to the left front, beginning at the top of the welt and stretching it slightly to give a firm edge, adjusting the number of rows, if necessary, to bring it to the neck edge, then leave the sts. on a spare needle.

*The Right Front Band*: Slip the 12 sts. from the safety-pin at centre front on to a No. 11 (or No. 10) needle and, beginning on the right side of knitting, work 16 rows in single rib.

**1st BUTTONHOLE ROW**: Rib 5, cast off 2 sts., rib to end.

**2nd BUTTONHOLE ROW**: Rib until 5 remain, cast on 2 sts. over those cast off to complete the buttonhole, rib 5.

Rib 24 rows more.

Repeat the last 26 rows 3 times more, then the two buttonhole rows again. Rib 18 rows more.

Sew the band to the right front, adjusting the number of rows after the last buttonhole if required.

*The Neck Band*: First join the shoulder seams, beginning at the armhole edge and taking 1 st. from each side at a time. Holding the work with the right side facing and using No. 11 (or No. 10) needles, rib the 12 sts. from right front band, pick

up and k. 28 sts. from neck edge of right front, 50 sts. across back of neck, and 28 sts. from neck edge of left front, then rib the 12 sts. from left front band (130 sts.).

Rib 5 rows, then repeat the 2 buttonhole rows given in the right front band. Rib 3 rows more, then cast off in rib.

## THE BOW TIE

**U**SING No. 11 (or No. 10) needles cast on 8 sts. and work in single rib for 10 inches.

*To Shape the End*: Dec. 1 st. at the beginning of the next row and at that same edge on each of the next 5 rows, then k. 2 tog.; draw wool through the remaining st. and fasten off.

Make another strip the same, but half-an-inch shorter.

## TO MAKE UP THE JERSEY

**D**O not press the knitting. Set the sleeves into armholes, then join sleeve and side seams in one line, and press all seams with the edge of the iron. Sew 5 buttons to the left front band and one to the neck band. Sew the cast-on edge of each tie to the neck band, the longer one to right front, just inside the front band. Sew down the cast-on edge of left front band behind other band.